

SMOOTH SHANK **DOUILLE LISSE** CAÑA LISA

Smooth shank


DIN 2817/DIN EN 14 420-5

MATERIAL **MATIÈRE** MATERIAL

-  **AL** = Aluminium
-  **BR** = Brass **Laiton** *Latón*
-  **ST** = Steel **Acier** *Acero*
-  **SS** = Stainless steel **Inox**
-  **PP** = Polypropylene

SIZE **DIMENSIONS** DIMENSIONES

From DN 13 to 150 mm



DN
13
19
25
32
38
50
65
75
100
125
150

SMOOTH SHANK **DOUILLE LISSE CAÑA LISA**

AL = Aluminium BR = Brass **Laiton Latón** ST = Steel **Acier Acero** SS = Stainless steel **Inox** PP = Polypropylene

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.
 Female thread. Fileté femelle. <i>Rosca hembra.</i>	SS 316L	1/2"	13	510 91 24
		3/4"	19	010 00 08
		1"	25	010 00 09
		1"1/4	32	010 00 10
		1"1/2	38	010 00 11
		2"	50	010 00 12
		2"1/2	63	010 00 13
		3"	75	010 00 14
		4"	100	510 01 71
 Male thread. Fileté mâle. <i>Rosca macho.</i>	SS 316L	1/2"	13	510 91 25
		3/4"	19	010 00 01
		1"	25	010 00 02
		1"1/4	32	010 00 03
		1"1/2	38	010 00 04
		2"	50	010 00 05
		2"1/2	63	010 00 06
		3"	75	010 00 07
 Female thread. Fileté femelle. <i>Rosca hembra.</i>	BR	3/4"	19	510 02 27
		1"	25	510 02 28
		1"1/4	32	500 50 02
		1"1/2	38	510 02 29
		2"	50	510 02 30
		2"1/2	63	510 01 20
		3"	75	510 02 31
		4"	100	510 02 42
 Male thread. Fileté mâle. <i>Rosca macho.</i>	BR	3/4"	19	510 16 43
		1"	25	510 01 75
		1"1/4	32	010 00 30
		1"1/2	38	010 00 32
		2"	50	010 01 20
		2"1/2	63	011 81 69
		3"	75	510 01 76
		4"	100	510 01 77
	PP	1"	25	510 01 73
		1"1/2	38	510 01 74
		2"	50	010 01 33
		3"	75	010 01 34

SMOOTH SHANK DOUILLE LISSE CAÑA LISA

AL = Aluminium BR = Brass Laiton Latón ST = Steel Acier Acero SS = Stainless steel Inox PP = Polypropylene

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.
	For welding. With collar. A souder. A collerette. <i>Para soldar. Con cuello.</i>	INOX 316	13	510 70 33
			16	510 70 34
			19	510 70 35
			25	510 70 36
			32	510 70 37
			38	510 70 38
			51	510 70 39
			63	510 70 40
			75	510 70 41
			102	510 70 42