

WASHING GUN **PISTOLETS DE LAVAGE** PISTOLA DE LAVADO

Washing gun

MATERIAL **MATIÈRE** **MATERIAL**

BR = Brass **Laiton** *Latón*

SS = Stainless steel **Inox**

With EPDM cover.

Avec revêtement EPDM.

Con EPDM revestimiento.

SIZE **DIMENSIONS** **DIMENSIONES**


DN 1/2"

WATER FLOW **DÉBIT D'EAU** **SALIDA DE AGUA**

Water flow in l/min with totally pulled trigger.

Débit mesuré en l/min à ouverture maximale.

Salida de agua en l/min con apertura máxima.



WASHING GUN **PISTOLETS DE LAVAGE** **PISTOLA DE LAVADO**

AL = Aluminium BR = Brass **Laiton Latón** ST = Steel **Acier Acero** SS = Stainless steel **Inox** PP = Polypropylene

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.
	Blue. Eco. 95°C. 24 bar. Bleu. Eco. 95°C. 24 bar. <i>Azul. Eco. 95°C. 24 bar.</i>	BR	1/2"	510 10 70
	Blue. Standard. 95°C. 24 bar. Bleu. Standard. 95°C. 24 bar. <i>Azul. Standard. 95°C. 24 bar.</i>	BR	1/2"	011 76 70
	Pack of 20 * 011 76 70. Pack de 20 * 011 76 70. <i>Pack de 20 * 011 76 70.</i>		1/2"	510 00 40
	Blue. With handle protection. 95°C. 24 bar. Bleu. Avec protection main. 95°C. 24 bar. <i>Azul. Con proteccion de la mano. 95°C. 24 bar.</i>	BR	1/2"	510 10 13
	Blue. Standard. 95°C. 24 bar. Bleu. Standard. 95°C. 24 bar. <i>Azul. Standard. 95°C. 24 bar.</i>	BR Chromated	1/2"	510 00 33
	Blue. Light. 50°C. 12 bar. Bleu. Léger. 50°C. 12 bar. <i>Azul. Ligero. 50°C. 12 bar.</i>	PVC	1/2"	510 71 21

WASHING GUN **PISTOLETS DE LAVAGE** **PISTOLA DE LAVADO**

AL = Aluminium
 BR = Brass **Laiton** **Latón**
ST = Steel **Acier** **Acero**
SS = Stainless steel **Inox**
PP = Polypropylene

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.
 Blanc. With handle protection. 95°C. 24 bar. Blanc. Avec protection main. 95°C. 24 bar. <i>Blanco. Con proteccion de la mano. 95°C. 24 bar.</i>	BR Chromated	1/2"	510 07 27	
 Red. With handle protection. 95°C. 24 bar. Rouge. Avec protection main. 95°C. 24 bar. <i>Rojo. Con proteccion de la mano. 95°C. 24 bar.</i>	SS 316	1/2"	510 05 26	
 Black. High flow. 95°C. 24 bar. Noir. Grand débit. 95°C. 24 bar. <i>Negro. Gran caudal. 95°C. 24 bar.</i>	BR	1/2"	510 10 64	
 Spray. Blue. 80°C. 16 bar. Lance. Bleue. 80°C. 16 bar. <i>Spray. Azul. 80°C. 16 bar.</i>	BR	1/2"	510 50 66	
 Repare Pack. Except for 510 10 70. Pack réparation. Sauf pour 510 10 70. <i>Pack reparación pistola. No para 510 10 70.</i>	SS 316			010 00 15